

Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020 SunFlora Inc.



UPLOADED: 12/18/2020 09:40:24

### Sample




### **Cannabinoids Test**

SHIMADZU INTEGRATED UPLC-PDA GSL SOP 400

Cannabinoids	LOQ	weight(%)	mg/g	mg/unit
D9-THC	10 PPM	N/D	N/D	N/D
THCA	10 PPM	N/D	N/D	N/D
CBD	10 PPM	1.859%	18.595	2,231.4
CBDA	20 PPM	N/D	N/D	N/D
CBDV	20 PPM	N/D	N/D	N/D
CBC	10 PPM	N/D	N/D	N/D
CBN	10 PPM	N/D	N/D	N/D
CBG	10 PPM	N/D	N/D	N/D
CBGA	20 PPM	N/D	N/D	N/D
D8-THC	10 PPM	N/D	N/D	N/D
THCV	10 PPM	N/D	N/D	N/D
TOTAL D9-THC		N/D	N/D	N/D
TOTAL CBD*		1.859%	18.595	2,231.4
TOTAL CANNABINOIDS		1.859%	18.595	2,231.4

1 unit = 120 grams per unit x Cannabinoid concentration



Reporting Limit 10 ppm \*Total CBD = CBD + CBDA x 0.877

N/D - Not Detected, B/LOQ - Below Limit of Quantification

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Bul

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy, Green Scientific Labs can only discuss results with the original client of record.



Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020

### **TERPENES: TOTAL (0.165%)**

Headspace GCMS - Shimadzu GCMS QP2020 with HS20


Terpene	Results (%)	LOQ (%)	LOD (%)
ALPHA-BISABOLOL	0.014%	0.0067%	0.0063%
ALPHA-PINENE	0.012%	0.0067%	0.0063%
BETA-MYRCENE	0.010%	0.0067%	0.0063%
BETA-PINENE	0.013%	0.0067%	0.0063%
CAMPHENE	0.008%	0.0067%	0.0063%
CARYOPHYLLENE	0.022%	0.0067%	0.0063%
EUCALYPTOL	0.039%	0.0067%	0.0063%
GAMMATERPINENE	0.010%	0.0067%	0.0016%
LIMONENE	0.020%	0.0067%	0.0063%
P-CYMENE	0.008%	0.0067%	0.0063%
TERPINOLENE	0.009%	0.0067%	0.0063%

SunFlora Inc.




GSL SOP 404 Prepared: 12/17/2020 21:46:32 Uploaded: 12/18/2020 11:59:14

### **Terpenes Breakdown**



### **Top Terpenes Results:**



#### Tested for but not present:

3-CARENE, ALPHA-TERPINENE, TRANS-BETA-OCIMENE, CIS-BETA-OCIMENE, LINALOOL, ISOPULEGOL, GERANIOL, HUMULENE, CIS-NEROLIDOL, TRANS-NEROLIDOL, GUAIOL, CARYOPHYLLENE OXIDE

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy, Green Scientific Labs can only discuss results with the original client of record.

**PREPARED:** 12/17/2020 21:16:32



Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020

SunFlora Inc.



### **PESTICIDE ANALYSIS:**

GSL SOP 401

GCMS-MS - Shimadzu GCMS-TQ8040

Pesticide	Action Level (ppm)	Results (ppm)	LOQ (ppm)	LOD (ppm)
CAPTAN	3.000	N/D	0.003	0.001
CHLORDANE	0.100	N/D	0.003	0.001
CHLORFENAPYR	0.100	N/D	0.003	0.001
COUMAPHOS	0.100	N/D	0.003	0.001

Pesticide	Action Level	Results	LOQ	LOD
resticide	(ppm)	(ppm)	(ppm)	(ppm)
CYFLUTHRIN	1.000	N/D	0.003	0.001
CYPERMETHRIN	1.000	N/D	0.003	0.001
PENTACHLORONITROBENZENE	0.200	N/D	0.003	0.001

UPLOADED: 12/18/2020 12:31:26

LCMS-MS - Shimadzu LCMS-8060

Pesitivitie     (ppm)     (ppm)     (ppm)     (ppm)     (ppm)       ABAMECTIN B1A     0.300     N/D     0.005     0.001       ACEPHATE     3.000     N/D     0.001     0.001       ACEQUINOCYL     2.000     N/D     0.001     0.001       ACEQUINOCYL     2.000     N/D     0.005     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CHLORMEQUAT     3.000     N/D     0.005     0.005       CHLORNEQUAT     3.000     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DACINON     0.200     N/D     0.001 <th>Pesticide</th> <th>Action Level</th> <th>Results</th> <th>LOQ</th> <th>LOD</th>	Pesticide	Action Level	Results	LOQ	LOD
ACEPHATE     3.000     N/D     0.001     0.001       ACEQUINOCYL     2.000     N/D     0.001     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.005     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.005       CHLORMEQUAT     0.000     N/D     0.005     0.005       CHLORNPYRIFOS     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALOROS     0.100     N/D     0.001     0.001 <th>resticide</th> <th>(ppm)</th> <th>(ppm)</th> <th>(ppm)</th> <th>(ppm)</th>	resticide	(ppm)	(ppm)	(ppm)	(ppm)
ACEQUINOCYL     2.000     N/D     0.001     0.001       ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.005     0.005       CHLORMEQUAT     3.000     N/D     0.005     0.005       CHLORDE     3.000     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALORVCS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001 </td <td>ABAMECTIN B1A</td> <td>0.300</td> <td>N/D</td> <td>0.005</td> <td>0.001</td>	ABAMECTIN B1A	0.300	N/D	0.005	0.001
ACETAMIPRID     3.000     N/D     0.005     0.001       ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORPQUAT     3.000     N/D     0.001     0.001       CHORPYRIFOS     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALIORVOS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHORORPH     3.000     N/D     0.001     0.0	ACEPHATE	3.000	N/D	0.001	0.001
ALDICARB     0.100     N/D     0.005     0.001       AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CLORENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALORVYRIFOS     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALORVOS     0.100     N/D     0.001     0.00	ACEQUINOCYL	2.000	N/D	0.001	0.001
AZOXYSTROBIN     3.000     N/D     0.001     0.001       BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CLORENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIALORYOS     0.100     N/D     0.001     0.001       DIMETHOARE     0.100     N/D     0.001     0.001 </td <td>ACETAMIPRID</td> <td>3.000</td> <td>N/D</td> <td>0.005</td> <td>0.001</td>	ACETAMIPRID	3.000	N/D	0.005	0.001
BIFENAZATE     3.000     N/D     0.005     0.001       BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.500     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001	ALDICARB	0.100	N/D	0.005	0.001
BIFENTHRIN     0.500     N/D     0.005     0.001       BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.005     0.005       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.001     0.001       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIACINON     0.200     N/D     0.001     0.001       DIATINON     0.200     N/D     0.001     0.001       DIATINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001	AZOXYSTROBIN	3.000	N/D	0.001	0.001
BOSCALID     3.000     N/D     0.005     0.001       CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.001     0.001       CLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETORENPROX     0.100     N/D     0.001     0.001       ETORENPROX     0.100     N/D     0.001     0.001       ETORENPROX     0.100     N/D     0.001     0.0	BIFENAZATE	3.000	N/D	0.005	0.001
CARBARYL     0.500     N/D     0.003     0.001       CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.005     0.005       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.001     0.001       CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.440     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.0	BIFENTHRIN	0.500	N/D	0.005	0.001
CARBOFURAN     0.100     N/D     0.001     0.001       CHLORANTRANILIPROLE     3.000     N/D     0.025     0.025       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.001     0.001       CLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.440     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETHOPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.00	BOSCALID	3.000	N/D	0.005	0.001
CHLORANTRANILIPROLE     3.000     N/D     0.005     0.005       CHLORMEQUAT     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.001     0.001       CLORPYRIFOS     0.100     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOARE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOAZOLE     1.500     N/D     0.001     0.001       FENHEXAMID     3.000     N/D     0.001     0.001       FENPYROXIMATE     2.000     N/D     0.003     0	CARBARYL	0.500	N/D	0.003	0.001
CHLORMEQUAT CHLORIDE     3.000     N/D     0.025     0.025       CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIALINON     0.200     N/D     0.005     0.001       DIALINON     0.200     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001	CARBOFURAN	0.100	N/D	0.001	0.001
CHLORIDE     3.000     N/D     0.025     0.025       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENPROX     0.100     N/D     0.005     0.001       FENPROX     0.100     N/D     0.005     0.001       FENPROX     0.100     N/D     0.001     0.001       FENPROX     0.100     N/D     0.001     0.001       FENPROX     0.100     N/D     0.001     0.001	CHLORANTRANILIPROLE	3.000	N/D	0.005	0.005
CHLORIDE     A.M.     M.D.     M.D.     M.D.       CHLORPYRIFOS     0.100     N/D     0.001     0.001       CLORPYRIFOS     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIACHLORVOS     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOKAZOLE     1.500     N/D     0.001     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010 </td <td>CHLORMEQUAT</td> <td>2 000</td> <td></td> <td>0.025</td> <td>0.025</td>	CHLORMEQUAT	2 000		0.025	0.025
CLOFENTEZINE     0.500     N/D     0.001     0.001       DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENPROXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FENPROXIMATE     2.000     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.100 <td>CHLORIDE</td> <td>3.000</td> <td>IN/D</td> <td>0.025</td> <td>0.025</td>	CHLORIDE	3.000	IN/D	0.025	0.025
DAMINOZIDE     0.100     0.040     0.005     0.001       DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.005     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FENPROXIMATE     2.000     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010	CHLORPYRIFOS	0.100	N/D	0.001	0.001
DIAZINON     0.200     N/D     0.001     0.001       DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.001     0.001       FENPROXIMATE     2.000     N/D     0.001     FIPRONIL       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	CLOFENTEZINE	0.500	N/D	0.001	0.001
DICHLORVOS     0.100     N/D     0.005     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.001     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.005     0.001       FENHEXAMID     3.000     N/D     0.005     0.001       FENEYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLONICAMID     3.000     N/D     0.03     0.001	DAMINOZIDE	0.100	0.040	0.005	0.001
DIMETHOATE     0.100     N/D     0.001     0.001       DIMETHOMORPH     3.000     N/D     0.005     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FLONIL     0.100     N/D     0.025     0.100       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DIAZINON	0.200	N/D	0.001	0.001
DIMETHOMORPH     3.000     N/D     0.005     0.001       ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DICHLORVOS	0.100	N/D	0.005	0.001
ETHOPROPHOS     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.025     0.010       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DIMETHOATE	0.100	N/D	0.001	0.001
ETOFENPROX     0.100     N/D     0.001     0.001       ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	DIMETHOMORPH	3.000	N/D	0.005	0.001
ETOXAZOLE     1.500     N/D     0.010     0.005       FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.003     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETHOPROPHOS	0.100	N/D	0.001	0.001
FENHEXAMID     3.000     N/D     0.005     0.001       FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETOFENPROX	0.100	N/D	0.001	0.001
FENOXYCARB     0.100     N/D     0.005     0.001       FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	ETOXAZOLE	1.500	N/D	0.010	0.005
FENPYROXIMATE     2.000     N/D     0.001     0.001       FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENHEXAMID	3.000	N/D	0.005	0.001
FIPRONIL     0.100     N/D     0.003     0.001       FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENOXYCARB	0.100	N/D	0.005	0.001
FLONICAMID     2.000     N/D     0.025     0.010       FLUDIOXONIL     3.000     N/D     0.003     0.001	FENPYROXIMATE	2.000	N/D	0.001	0.001
FLUDIOXONIL 3.000 N/D 0.003 0.001	FIPRONIL	0.100	N/D	0.003	0.001
		2.000	N/D	0.025	0.010
HEXYTHIAZOX 2.000 N/D 0.005 0.001	FLUDIOXONIL	3.000	N/D	0.003	0.001
	HEXYTHIAZOX	2.000	N/D	0.005	0.001

Pesticide	Action Level	Results	LOQ	LOD
resticite	(ppm)	(ppm)	(ppm)	(ppm)
IMAZALIL	0.100	N/D	0.005	0.001
IMIDACLOPRID	3.000	N/D	0.005	0.001
KRESOXIM-METHYL	1.000	N/D	0.010	0.005
MALATHION	2.000	N/D	0.005	0.001
METALAXYL	3.000	N/D	0.001	0.001
METHIOCARB	0.100	N/D	0.005	0.001
METHOMYL	0.100	N/D	0.001	0.001
MEVINPHOS	0.100	N/D	0.001	0.001
MYCLOBUTANIL	3.000	N/D	0.005	0.001
NALED	0.500	N/D	0.005	0.001
OXAMYL	0.500	N/D	0.001	0.001
PACLOBUTRAZOL	0.100	N/D	0.005	0.001
PERMETHRINS	1.000	N/D	0.005	0.001
PHOSMET	0.200	N/D	0.005	0.001
PIPERONYL	3.000	N/D	0.001	0.001
BUTOXIDE	3.000	IN/D	0.001	0.001
PRALLETHRIN	0.400	N/D	0.005	0.005
PROPICONAZOLE	1.000	N/D	0.010	0.005
PROPOXUR	0.100	N/D	0.001	0.001
PYRETHRINS	1.000	N/D	0.005	0.005
(PYRETHRIN I)	1.000	N/D	0.005	0.005
PYRIDABEN	3.000	N/D	0.005	0.001
SPINETORAM	3.000	N/D	0.001	0.001
SPINOSAD	3.000	N/D	0.001	0.001
SPIROMESIFEN	3.000	N/D	0.005	0.001
SPIROTETRAMAT	3.000	N/D	0.001	0.001
SPIROXAMINE	0.100	N/D	0.001	0.001
TEBUCONAZOLE	1.000	N/D	0.005	0.001
THIACLOPRID	0.100	N/D	0.001	0.001
THIAMETHOXAM	1.000	N/D	0.001	0.001
TRIFLOXYSTROBIN	3.000	N/D	0.001	0.001

N/D = Not Detected, A/LOQ = Above LOQ Level, B/LOQ = Below LOQ Level, B/LOD = Below LOD Level

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

**Green Scientific Labs** info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy. Green Scientific Labs can only discuss results with the original client of record.



Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020 SunFlora Inc.



### **RESIDUAL SOLVENTS:**

Headspace GCMS - Shimadzu GCMS QP2020 with HS20

GSL SOP 405 Prepared: 12/17/2020 21:02:54 Uploaded: 12/18/2020 13:55:29

Residual Solvent	Action Level (ppm)	Results (ppm)	LOQ (ppm)	LOD (ppm)
1,1-DICHLOROETHENE	8	N/D	0.63	0.63
1,2- DICHLOROETHANE	2	N/D	0.12	0.02
ACETONE	5,000	N/D	140	20
ACETONITRILE	410	N/D	25	1
BENZENE	1	N/D	1	0.5
BUTANE	5,000	N/D	50	10
CHLOROFORM	1	N/D	1	0.5
CIS 1,2-DICHLOROETHENE	5	N/D	0.73	0.18
ETHANOL	5,000	N/D	140	20
ETHYL ACETATE	5,000	N/D	140	20
ETHYL ETHER	5,000	N/D	140	20
ETHYLENE OXIDE	1	N/D	0	0
ISOPROPYL ALCOHOL	5,000	N/D	140	20
METHANOL	3,000	N/D	100	20
METHYLENE CHLORIDE	125	N/D	0.15	0.15
N-HEPTANE	5,000	N/D	140	20
N-HEXANE	290	N/D	18	10
PENTANE	5,000	N/D	140	20
PROPANE	5,000	N/D	20	1
TOLUENE	890	N/D	53	1
TRANS 1,2-DICHLOROETHENE	5	N/D	0.73	0.18
TRICHLOROETHENE	1	N/D	1	0.5
XYLENES	150	N/D	130	20

Bul

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy. Green Scientific Labs can only discuss results with the original client of record.



Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020

SunFlora Inc.



#### **Microbial Analysis:**

PCR - Agilent AriaMX fa

### Microbial Analysis GSL SOP 406 Uploaded: 12/22/2020 15:49:42

# **MICROBIAL ANALYSIS:**

PCR - Agilent AriaMX

Test	SOP	Test Method	Device Used	LOD	Allowable Criteria	Actual Result	Pass/Fail
TOTAL YEAST AND MOLD	406.01	USP 61/62†	ARIAMX PCR	CFU/G BY SAMPLE TYPE**	1,000 CFU/G	NOT DETECTED	PASS
STEC E. COLI*	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS
PATHOGENIC E. COLI	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS
SALMONELLA*	406.01	USP 61/62†	ARIAMX PCR	1 CFU/G**	DETECT/NOT DETECTED	NOT DETECTED	PASS

† USP 61 (enumeration of bacteria TAC, TYM, and ENT/Coliform), USP 62 (identifying specific species E.coli Aspergillus etc) \* STEC and Salmonella run as Multiplex

\*\* CFU/g Calculation based on MIP/Extract matrix

\*\*\* Flavus = 2 Copies of DNA / Fumigatis = 2 Copies of DNA Niger = 20 Copies of DNA / Terrus = 10 copies of DNA

Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

**Green Scientific Labs** info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy, Green Scientific Labs can only discuss results with the original client of record.



Order #: 68228 Order Name: 110120BSPC 2000mg Topical Batch#: 110120BSPC 2000mg Topical Received: 12/17/2020 Completed: 12/22/2020 SunFlora Inc.



### **Mycotoxin Analysis:**

LC-MS - Shimadzu LCMS-8060 GSL SOP 401

Uploaded: 12/22/2020 12:28:07

Analyte	Action Lvl (ppb)	Results (ppb)
AFLATOXIN B1	20	N/D
AFLATOXIN B2	20	N/D
AFLATOXIN G1	20	N/D
AFLATOXIN G2	20	N/D
OCHRATOXIN A	20	N/D

LOQ is 1ppb, LOD is 1ppb

#### **Moisture Analysis:**

Shimadzu MOC63U Moisture Balance - GSL SOP 411

Uploaded: 12/17/2020 22:28:48

Moisture %

78.8%

#### Filth and Foreign Materials Analysis:

Microscope - Amscope Simul-Focal Trinocular Stereo Zoom Microscope - GSL SOP 409

Uploaded: 12/17/2020 21:19:01

Pass: No Foreign Materials Detected

### Heavy Metals Analysis:

ICP-MS - Shimadzu ICPMS-2030 GSL SOP 403

Uploaded: 12/21/2020 17:16:03

Metal	Action Level (ppb)	Result (ppb)
ARSENIC (AS)	200	B/LOQ
CADMIUM (CD)	200	B/LOQ
MERCURY (HG)	100	B/LOQ
LEAD (PB)	500	B/LOQ

Lower Limit of Quantitation (LOQ) is 75 ppb

#### Water Activity:

HD-3A Water Activity Meter - GSL SOP 407

Uploaded: 12/17/2020 22:28:48

#### Water

0.92



Dr. Andrew Hall, Ph.D., Chief Scientific Officer

Ben Witten, MS, MT., Lab Director

Green Scientific Labs info@greenscientificlabs.com 1-833 TEST CBD



Green Scientific Labs uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgment and levels listed are guidelines only and all data was reported based on standard laboratory procedures and deviations. However Green Scientific Labs makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of the data contained herein in any way. Further, Green Scientific Labs makes no claims regarding representations of the analyzed sample to the larger batch from which it was taken. Data and information in this report are intended solely for the individual(s) for whom samples were submitted and as part of our strict confidentiality policy, Green Scientific Labs can only discuss results with the original client of record.